

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




FIG. 10A-FIG. 10C

FIG. 10A

Rat Ovarian Dispersate
cAMP Assay - 5.07.03




FIG. 10B

JC410/FSHR
cAMP Assay 10.30.03





FIG. 10C

JC410/FSHR cAMP Assay PDE4 Inhibitors



Best fit value	FSH	Piclamilast + FSH	Ariflo + FSH	Tibenalast + FSH	Filaminast + FSH	Mesopram + FSH	Rolipram + FSH	D4418 + FSH	Arofylline + FSH	CL1044 + FSH	V11294A + FSH
BOTTOM	0.2567	0.04304	0.2066	0.2114	0.1381	0.5862	0.4765	0.08235	0.01747	0.04669	0.1732
TOP	0.7132	6.112	4.632	0.4534	3.733	7.120	3.637	1.086	0.6115	1.666	0.06576
LOGEC50	-6.515	-7.573	-5.386	-5.175	-5.877	-6.138	-6.732	-4.974	-6.069	-6.123	-6.387
EC50	3.0520e-009	2.6750e-008	4.2390e-008	6.6410e-008	1.3260e-008	7.2780e-007	1.8550e-006	1.0620e-005	8.5290e-006	7.5250e-006	4.6110e-007

FIG. 11




FIG. 12




FIG. 13




FIG. 14




Figure 15

